


- NOTES:
- 1.0 MATERIALS:
 - 1.1 HOUSING AND COUPLING NUT:
STAINLESS STEEL PER ASTM-A582, TYPE 303.
 - 1.2 CENTER CONTACT: BERYLLIUM COPPER ROD
ALLOY C172, PER ASTM-B196.
 - 1.3 DIELECTRIC: PTFE FLUOROCARBON PER
ASTM-D1710.
 - 2.0 PLATING:
 - 2.1 HOUSING AND COUPLING NUT:
PASSIVATED PER MIL-F-14072 AND
SAE AMS QQ-P-35.
 - 2.2 CENTER CONTACT: GOLD PER MIL-PRF-39012.
 - 2.3 FERRULE: GOLD PER MIL-PRF-39012.
 - 3.0 MECHANICAL:
 - 3.1 INTERFACE PER MIL-STD-348A, FIG. 317-1
AND FIG. 317-2 IN ACCORDANCE WITH MIL-PRF-39012.
 - 3.2 CENTER CONTACT CAPTURED
IN ACCORDANCE WITH MIL-PRF-39012.
 - 4.0 DIMENSIONS IN PARENTHESIS ARE MILLIMETERS.



REV.	-	DATE	11/12/04
DESCRIPTION	RELEASED		

UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES AND TOLERANCES ARE:	FSCM NO.	34078		MIDWEST MICROWAVE	
	3 PLACE DECIMALS ±.005 2 PLACE DECIMALS ±.02 FRACTIONS ±1/64 PARALLELITY: T.I.R. _____ FLATNESS: T.I.R. _____ CONCENTRICITY: T.I.R. _____ ANGLES AND PERPENDICULARITY: ±1°	NOTICE: The information contained in this drawing is proprietary and must not be used without the permission of Midwest Microwave	TITLE ADAPTER - HN PLUG TO HN JACK		
	DRAWN/DATE S. ORLOV 1/9/04	ENG. DATE 11/12/04	DRAWING NUMBER ADT-2820-MF-HNO-02		
	CHECKED/DATE	APPROVED/DATE A.H. 11/12/04	SCALE: 2=1	SHEET 1 of 1	